



M3 Series

The most professional supplier of mobile LED vehicles in the world

Stand out from the pack with our multimedia vehicle, the innovative way to give your company or event great exposure.



SHENZHEN KMTEKLED PHOTOELECTRICITY CO., LIMITED

Add:4th Building, The 2nd Inudstry Park Of Nangang, Songbai Rd 1026, Xlii, Nanshan, Shenzhen, China (Postcode:518055.)

Web:vwv.kmtekled.com

Mail: info@kmtekled.com sales@kmtekled.com Mobile:0086-13421820515

COMPANY PROFILE



SHENZHEN KMTekLED PHOTOELECTRICITY CO., LIMITED is a joint-venture between Chinese and overseas hi-tech electronic corporations. It specializes in high quality LED and LED display including research, development, production and marketing .

The company has brought in some of the best LED packaging technology and LED display technology in the world. The factory operates over 5000 square meters, including a clean room environment and facility. It is equipped with state-of-the-art automatic machinery for Die Bond, Wire Bond, Encapsulation and orting. The company has recruited some of the best managers in the areas of production, research and development and marketing, together with a strong financial and technological base. The company has successfully passed the Swiss's SGS approval and received the quality guarantee system certificate ISO9001:2000 ,also RoHS certification by SGS .

KMT believes in quick response on product development, sincerely wanting to cooperate and team up with vendors and customers, together to serve the end customers and users to build a true strategic partnership and long-term relationship. Together we will capture the fast growing industry and enjoy a fruitful high-speed development. State-of-the-art automatic equipment and technology has ensured the foundation of high quality product and high production capacity.

Item No.ST3S Solar

Trailer size	2382×1800×2074mm
Screen size	2240×1280mm, Dot Pitch:KMT-P6.6/P8/P10
Manual lifting	lifting range 800mm,screen can rotate 330 degrees
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm(W) × 160mm(H)
solar panel	1000×2000mm, 1PCS
Trailer power	Battery/solar panel
Kinds of play	Usb flash disk play,remote display



Characteristic	Equipped with solar panels converters and 7500AH battery,can achieve 24/7 continuous power supply for LED screen
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716800000



Item No.EF4S Solar



Trailer size	2700×1800×2280mm
Screen size	2560×1280mm, Dot Pitch:KMT-P6.6/P8/P10
Hydraulic	lifting range 1m,screen can rotate 330 degrees
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm (W) ×160mm (H)
solar panel	1380×700mm, 4PCS
Trailer power	Battery/solar panel
Kinds of play	Usb flash disk play,remote display



Characteristic	Equipped with solar panels converters and 9600AH battery,can achieve 24/7 continuous power supply for LED screen
Packing Container	Nude packing with fixed in container
	20GP
HS code	8716800000

Item No.ST3



Trailer size	2382×1800×2074mm
Screen size	2240×1280mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	330°hand rotating,hydraulic lifting 1m
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm(W) ×160mm(H)
Total weight	629KG
Power parameter	External power supply,220V/20A
Kinds of play	Usb flash disk play,remote display



Characteristic	Light,easy to operate,good advertising effect and convenient for packing and delivery.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716800000

Item No.EF4

Trailer size	2934×1800×2490mm
Screen size	2560×1600mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	330°hand rotating,hydraulic lifting 1m
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Connector	50mm ball head,4 hole impact connector,wire brake
Power parameter	External prower supply,220V/20A
Kinds of play	Usb flash disk play,remote display



Characteristic	Light,easy to operate,good advertising effect and convenient for packing and delivery.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716800000



Item No.EF6



Trailer size	5070×1900×2050mm
Screen size	3200×1920mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	330°hand rotating,hydraulic lifting 1300mm
Fold LED screen	640mm
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm(W) × 160mm(H)
Gross weight	1500KG
Power parameter	External power supply/generator,220V/20A
Kinds of play	Usb flash disk play,wireless remote control



Characteristic	Light,easy to operate,good advertising effect and convenient for packing and delivery.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716400000

Item No.EF8



Trailer size	5070×1900×2042mm
Screen size	3840×2240mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	330°hand rotating,hydraulic lifting 1300mm
Fold LED screen	960mm
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm(W) × 160mm(H)
Total weight	1500KG
Power parameter	External power supply/generator,220V/28A
Kinds of play	Usb flash disk play,wireless remote control



Characteristic	Light,easy to operate,good advertising effect and convenient for packing and delivery.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716400000

Item No.EF8NE

Trailer size	5070×1900×2042mm
Screen size	3840×2240mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	330°hand rotating,hydraulic lifting 1300mm
Fold LED screen	960mm
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	1650KG
Battery specification	51. 2V300Ah
Kinds of play	Usb flash disk play,wireless remote control



Light,easy to operate,good advertising effect and convenient for packing and delivery.

Characteristic	Light,easy to operate,good advertising effect and convenient for packing and delivery.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716400000



Item No.EF12

Trailer size	6810×2100×2121mm
Screen size	4480×2560mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	Lifting Range 1800mm,bearing 3000kg
Fold LED screen	Hydraulic screen folding system,180°
Breaking	Impact brake,electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	2300KG
Power parameter	3 phases 5 wires 208V/Inrush current 26A
Kinds of play	Usb flash disk play,wireless remote control



Characteristic
Packing
Container
HS code

Super size and foldable screen,good advertising effect and convenient for packing and delivery.
With customized cover
20GP
8716400000



Item No.EF16



Trailer size	7020×2100×2458mm
Screen size	5120×3200mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	Lifting Range 2000mm, Rotate 360 degrees
Fold LED screen	Hydraulic screen folding system, 180°
Breaking	Impact brake, electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	3280KG
Power parameter	Three phases five wires 380V/Inrush current 30A
Kinds of play	Usb flash disk play, wireless remote control



Characteristic	Super size and foldable screen, good advertising effect and convenient for packing and delivery.
Packing	With customized cover
Container	40HQ
HS code	8716400000

Item No.EF21

Trailer size	7500×2100×2950mm
Screen size	6000×3500mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	Lifting Range 2000mm, Rotate 360 degrees
Fold LED screen	Hydraulic screen folding system, 180°
Breaking	Impact brake, electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	3250KG
Power parameter	Three phases five wires 415V
Kinds of play	Usb flash disk play, wireless remote control



Characteristic	Super size and foldable screen, good advertising effect and convenient for packing and delivery.
Packing	With customized cover
Container	400T
HS code	8716400000

Item No.EF22

Trailer size	7980×2100×2618mm
Screen size	5760×3840mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	Lifting Range 2000mm, Rotate 360 degrees
Fold LED screen	Hydraulic screen folding system, 180°
Breaking	Impact brake, electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	3480KG
Power parameter	Three phases five wires 380V
Kinds of play	Usb flash disk play, wireless remote control



Super size and foldable screen, good advertising effect and convenient for packing and delivery.

Characteristic	
Packing	With customized cover
Container	400T
HS code	8716400000



Item No.EF26

Trailer size	7915×2100×3000mm
Screen size	6500×4000mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	Lifting Range 2000mm, Rotate 360 degrees
Fold LED screen	Hydraulic screen folding system, 180°
Breaking	Impact brake, electrical brake and hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	4000KG
Power parameter	Three phases five wires 415V
Kinds of play	Usb flash disk play, wireless remote control



Super size and foldable screen, good advertising effect and convenient for packing and delivery.

Characteristic	Super size and foldable screen, good advertising effect and convenient for packing and delivery.
Packing	With customized cover
Container	400T
HS code	8716400000



Item No.MBD-21S Enclosed

Trailer size	7500×2150×3240mm
Screen size	7000×3000mm, Dot Pitch:KMT-P3/P4/P5
Hydraulic	Lifting Range 4000mm,hydraulic screen folding
Supporting legs	Stretching distance 400mm
Breaking	Hydraulic breaking,electrical breaking
Module Size	250mm (W) × 250mm (H)
Total weight	3400KG
Power parameter	Three phases five wires 415V
Kinds of play	Usb flash disk play,wireless remote control



Characteristic	Super advertising effect;exquisite interiors ;high end truck can attract more people's attention!
Packing	Professional packing with fixed in container
Container	40FR
HS code	8716400000



Item No. VMS150

Trailer size	2382×1800×2074mm
Screen size	1600×960mm, Dot Pitch:KMT-P6.6/P8/P10
Manual lifting	lifting range 800mm, screen can rotate 330 degrees
Breaking	Hand brake
Total weight	629KG
solar panel	2000×1000mm, 1PCS
Trailer power	Battery/solar panel
Kinds of play	Usb flash disk play, remote display



Characteristic	Light, easy to operate, can work automatically, no need generator and keep working always.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716800000



Item No. VMS300

前方路口
减速慢行



Trailer size	2350×1800×2280mm
Screen size	2304×1280mm, Dot Pitch:KMT-P6.6/P8/P10/P16
Hydraulic	330°hand rotating,hydraulic lifting 1m
Breaking	Hand brake
Module Size	256mm(W)×256mm(H)
solar panel	1380×700mm, 4PCS
Trailer power	Battery/solar panel
Kinds of play	Usb flash disk play,remote display



Characteristic	Equipped with solar panels and converters and 7200AH battery,can achieve 24/7 a year continuous power supply LED screen
Packing Container	Nude packing with fixed in container 20GP
HS code	8716800000


Item No. VMS-P50

Trailer size	2382×1800×2074mm
Screen size	2000×1200mm,5 colors variable induction screen
Manual lifting	lifting range 800mm,screen can rotate 330 degrees
Breaking	Hand brake
Total weight	629KG
solar panel	2000×1000mm, 1PCS
Trailer power	Battery/solar panel
Kinds of play	Usb flash disk play,remote display



Characteristic
Packing
Container
HS code

Light,easy to operate,can work automatically,
no need generator and keep working always.
Nude packing with fixed in container
20GP
8716800000



Item No.VMS300 P37.5



Trailer size	2382×1800×2074mm
Screen size	2000×1250mm,5 colors variable induction screen
Manual lifting	lifting range 800mm,screen can rotate 330 degrees
Breaking	Hand brake
Total weight	629KG
solar panel	2000×1000mm, 1PCS
Trailer power	Battery/solar panel
Kinds of play	Usb flash disk play,remote display



Characteristic	equipped with solar panels and converters and 7200AH battery,can achieve 24/7 a year continuous power supply LED screen
Packing Container	Nude packing with fixed in container
HS code	8716800000

Item No. Portable Flight case led screen

Flight casesize	1610×930×1870mm
Screen size	2560×1440mm, Dot Pitch:P1.538/P2/P2.5/P3/P4
Hydraulic lifting	lifting range 1000mm,Fold at 80 degrees on both sides
Cabinet size	640×480mm×12PCS
Total weight	342KG
Module size	320mm(W)×160mm(H)
Power parameter	Single phase 120V/220V/240V
Kinds of play	Usb flash disk play,remote display



Characteristic
Packing
Container
HS code

Easy and fast to attract your target audience's eyes.It is a good choice for indoor/outdoor advertising promotion.
Nude packing with fixed in container
20GP
8716800000



Item No.E-K50 II



Trailer size	6700×1800×3400mm
Screen size	4800×2400mm, Dot Pitch:P3/P4/P5
Hydraulic	Scissor type lifter, lifting range 2000mm
Supporting legs	Stretching distance 2500mm
Breaking	Hand brake
Module Size	320mm (W) × 160mm (H)
Total weight	4800KG
Power parameter	Three phases five wires 380V/415V
Kinds of play	Usb flash disk play, remote display



Characteristic	Super size screen, good advertising effect and convenient for packing and delivery.
Packing	Nude packing with fixed in container
Container	400T
HS code	8716400000

Item No.SAT4 *Advertising trailer*



Trailer size	1500×1250×2050mm	
Screen Size(left side)	960×1440mm,Dot	Pitch:P3/P4/P5
Screen Size(right side)	960×1440mm,Dot	Pitch:P3/P4/P5
Screen Size(rear side)	640×1440mm,Dot	Pitch:P3/P4/P5
Module Size	320mm(W) × 160mm(H)	
Torsion shaft	500KG 4-114.3, 1 pce	
Connector	50mm ball head,4 hole impact connector	
Battery specification	12V200AH*2Pcs/4.8KWH	
Kinds of play	Usb flash disk play,remote display	



Characteristic	Easy and fast to attract your target audience's eyes. It is a good choice for outdoor advertising promotion.
Packing	Nude packing with fixed in container
Container	20GP
HS code	8716800000

Item No.E-3W1800


Brand	KMT electric Vehicle
Screen Size(left side)	1600×1280mm,Dot Pitch:P3/P4/P5
Screen Size(right side)	1600×1280mm,Dot Pitch:P3/P4/P5
Screen Size(rear side)	960×1280mm,Dot Pitch:P3/P4/P5
Module Size	320mm(W) × 160mm(H)
Range	100KM
Recharger	MEAN WELL NPB-750
Battery specification	12V150AH*4PCS
Kinds of play	Usb flash disk play,remote display



Characteristic	Easy and fast to attract your target audience's eyes. It is a good choice for outdoor advertising promotion.
Packing	Nude packing with fixed in container
Container	20GP/40HQ
HS code	8705909990



Item No. E-SD3070



Truck Size	5180×1710×2640mm
Screen Size(left side)	2560×1600mm, Dot Pitch:P3/P4/P5
Screen Size(right side)	2560×1600mm, Dot Pitch:P3/P4/P5
Screen Size(rear side)	960×1440mm, Dot Pitch:P3/P4/P5

Hydraulic lifting range	1500mm
power supply	220V/8KW Generator power

Wheel base	3070mm
Stage	2600×1200×700mm

Chassis brand	Foton Times Xiangling V
Wind Resistance	Against level 8 wind after screen lift up 1500mm
Kinds Of Play	computer display

Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
----------------	---

Packing	Professional packing with fixed in container
Container	400T
HS Code	8705909990

Item No. E-W3360



Truck Size	5995×2160×3240mm
Screen Size(left side)	3520×1920mm, Dot Pitch:P3/P4/P5
Screen Size(right side)	3520×1920mm, Dot Pitch:P3/P4/P5
Screen Size(rear side)	1280×1440mm, Dot Pitch:P3/P4/P5
Hydraulic	lifting range 1.75m
Brake	oil brake
Truck Weight	4495KG
Wheel base	3360mm
Generator power	<input checked="" type="checkbox"/>
Chassis brand	16KW Foton 011in/DONGFENG /ISUZU
Wind Resistance	
Kinds Of Play	Against level 8 wind after screen lift up 1.75m computer display
Characteristic	Super advertising effect;exquisite interiors;high

Packing Container HS Code 8705909990

Item No.E-IVECO3300



Truck Size	5995×2160×3200mm
Screen Size(left side)	3200×1920mm,Dot Pitch:P3/P4/P5
Screen Size(right side)	3200×1920mm,Dot Pitch:P3/P4/P5
Screen Size(rear side)	1200×1680mm,Dot Pitch:P3/P4/P5
Hydraulic	lifting range 1.75m
Stage	Hydraulic folding stage
Reception room	Sofa,Tea table,Bar counter...
Wheel base	3300mm <input checked="" type="checkbox"/>
Generator power	12KW
Chassis brand	IVECO
Wind Resistance	Against level 8 wind after screen lift up 1.75m
Kinds Of Play	computer display
Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
Packing	Professinal packing with fixed in container
Container	40FR
HS Code	8705909990

Item No.E-QL3815

Truck Size	6920 × 2135 × 2320mm
Screen Size(left side)	4480×2240mm,Dot Pitch:P3/P4/P5
Screen Size(right side)	4480×2240mm,Dot Pitch:P3/P4/P5
Screen Size(rear side)	1280×1760mm,Dot Pitch:P3/P4/P5
Hydraulic Stage	ifting range 2000mm,Double lift system 5000×3000mm,hydraulic folding stage
Support Legs	Stretch distance 300mm
Wheel base	3810mm
Generator power	24KW silence generator group
Chassis brand	FOTON/DONGFENGISUZU
Wind Resistance	Against level 8 wind after screen lift up 2000mm
Kinds Of Play	computer display
Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
Packing Container	Professional packing with fixed in container 40FR
HS Code	8705909990



Item No. E-3SF18

Truck Size	5990×2450×3200mm
Chassis brand	DF Auto
Total mass	4500KG
Axle base	3308mm
Screen Size(left side)	3840×1920mm, Dot Pitch:P3/P4/P5
Screen Size(rear side)	3840×1920mm, Dot Pitch:P3/P4/P5
Screen Size(front side)	1920×1920mm, Dot Pitch:P3/P4/P5
Power parameter	Three phases five wires 380V
Hydraulic Lifting	Led screen 90 degree hydraulic turnover cylinder
Supporting System	Stretching distance 300mm, 4pcs
Generator Group	1260×750×1040mm, 16KW
Kinds Of Play	Computer display
Characteristic Packing	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention! Professional packing with fixed in container
Container	40FR
HS Code	8705909990



Item No. EW3360 Bezel-less 3D truck



Truck Size	5995×2260×3240mm
Screen Size(left side)	4000×2000mm, Dot Pitch:P3/P4/P5
Screen Size(right side)	4000×2000mm, Dot Pitch:P3/P4/P5
Screen Size(rear side)	2000×2000mm, Dot Pitch:P3/P4/P5
Module size	250mm(W)×250mm(H)
Unladen mass	5000 KG
Total mass	8500KG
Wheel base	3360mm <input checked="" type="checkbox"/>
Generator power	24KW diesel generator set
Chassis brand	FOTONAUMARK/DONGFENG/ISUZU
Wind Resistance	Against level 8 wind after screen lift up 1.75m
Kinds Of Play	computer display
Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
Packing	Professional packing with fixed in container
Container	40FR
HS Code	8705909990

Item No.E-W4800

Truck Size	8730×2370×3990mm
Screen Size(left side)	5440×2240mm,Dot Pitch:P3/P4/P5
Screen Size(right side)	5440×2240mm,Dot Pitch:P3/P4/P5
Screen Size(rear side)	1280×1760mm,Dot Pitch:P3/P4/P5
Hydraulic	lifting range 2m
Box dimension	6200×2300×2600mm
Total mass	12000KG
Wheel base	4700mm
Generator power	24KW
Chassis brand	DF AUTO/FOTON/ISUZU
Hydraulic stage	6000×3000mm
Kinds Of Play	computer display
Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
Packing Container	Professional packing with fixed in container
HS Code	8705909990




Item No.E-YZD22



Truck size	8370mm×2370mm×3990mm
Screen size	5760mm×3840mm, Dot Pitch:P3/P4/P5
Hydraulic	Screen can be lifted up 2m and rotate 360°
Folding screen	180-degree flip
Generator power	24KW diesel generator set
Chassis brand	Foton Ollin
Total mass	10000KG
Axle base	4700mm
Kinds of play	computer display
Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
Packing	Professional packing with fixed in container
Container	40FR
HS Code	8705909990

Item No. EYZD33 double-sided



Truck body size 6360×2240×4073mm

Screen Size(left side) 5760×2880mm, Dot Pitch:P3/P4/P5

Screen Size(rear side) 5760×2880mm, Dot Pitch:P3/P4/P5

Input voltage Three phases five wires 380V
Output voltage 220V

Hydraulic Lifting Rotating system Lifting Range 2000mm, bearing 5000kgs

Supporting System Screen can rotate 360 degrees
Generator Group Stretching distance 300mm, 4pcs
2200×900×12000mm, 30KW






Video processor NOVA, VX400
Power amplifier Power output:500W

Speaker Max power consumption:120W*4

Characteristic Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!
Packing Professional packing with fixed in container
Container 40FR

HS Code 8705909990

Item No. E-W3360 led truck body

Truck Body Size	4585×2220×3200mm		
Total weight	2500KG		
Power	20KW diesel generator set		
Generator Size	2060×920×1157mm		
Screen Size(left side)	3840×1920mm, Dot Pitch:P3/P4/P5/P6		
Screen Size(rear side)	3840×1920mm, Dot Pitch:P3/P4/P5/P6		
Screen Size(front side)	1280×1760mm, Dot Pitch:P3/P4/P5/P6		
Module Size	320mm (W) ×160mm (H)		
Video processor	Nova, TB60-4G		
Speaker	100W, 4pcs-		
Power amplifier	500W		
Kinds Of Play	Computer display		
Characteristic	Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!		
Packing	Professional packing with fixed in container		
Container	40HQ		
HS Code	8707909000		



Item No. E-3SF18 LED TRUCK BODY



Screen Size(left side)

3840×1920mm, Dot Pitch:P3/P4/P5

Screen Size(rear side)

3840×1920mm, Dot Pitch:P3/P4/P5

Screen Size(front side)

1920×1920mm, Dot Pitch:P3/P4/P5

Module Size

320mm(W)×320mm(H)

Input voltage

Three phases five wires 380V

Output voltage

220V

Led screen 90 degree hydraulic turnover cylinder

Hydraulic Lifting Supporting System

Stretching distance 300mm, 4pcs

Generator Group

1260×750×1040mm, 16KW

Video processor

NOVA, VX400

Power amplifier

Power output:500W

Max power consumption:120W*4

Speaker

Characteristic

Super advertising effect;exquisite interiors;high end truck can attract more peoples attention!

Packing

Professional packing with fixed in container

Container

20FR

HS Code

8707909000

Item No. EW4800 LED truck body



Truck Body Size	8730×2370×3600mm
Total mass	11695KG
Screen Size(left side)	5440×2400mm, Dot Pitch:P3/P4/P5
Screen Size(rear side)	5440×2400mm, Dot Pitch:P3/P4/P5
Screen Size(front side)	5440×2400mm, Dot Pitch:P3/P4/P5
Input voltage	1280×1760mm, Dot Pitch:P3/P4/P5 Three-phase five-wire 380V
Output voltage	220V
Video processor	Nova, VX600+TB50-4G
Hydraulic Lifting	2000mm, double side lift
Wind Resistance	Against level 8 wind after screen lift up 2m
Generator set	1510mm×770mm×1110mm, 24KW
Kinds Of Play	Computer display
PC characteristic	Superb graphics, high resolution, high refresh rate, high contrast, high brightness, high color reproduction, high stability, high reliability, high performance, high quality, high price.
Container	Professional packing with fixed in container
HS Code	8707909000

Item No.E-TW9600

Truck Size	11995×2550×3870mm
Box dimension	9600×2400×2500mm
Screen Size	7360×2400mm, Dot Pitch:P3/P4/P5/P6
Side copy flip cylinder	90 -degree flip
Lighting bracket	Custom type
Hydraulic	Roof lifting range 2m, screen lifting 1.5m
Stage plate	10000×2400mm
Truck Weight	20005KG
Wheel base	1995+5450mm
Generator power	16KW
Chassis brand	Foton Aumark
Wind Resistance	Against level 8 wind after screen lift up 1.5m
Kinds Of Play	computer display
Characteristic	Super advertising effect;exquisite interiors ;high end truck can attract more people's attention!
Packing	roll-on-roll-off ship
HS Code	8705909990



Item No. EBL9600



Truck Body Size	11335×2350×3720mm
Total mass	25000KG
Screen Size	8000×2000mm, Dot Pitch:P3/P4/P5/P6
Module Size	320mm (W) × 160mm (H)
Chassis brand	FOTON
Cargo box dimension	9600×2400×2500mm
Generator power	24KW diesel generator set
Player system	Nova
Hydraulic Lifting	2 pcs travel 2000mm
Stage size	(8000+2000)×3000mm, double fold stage
The ladder	1000 mm wide*2 pcs
Kinds Of Play	Computer display
Characteristic	Super advertising effect;exquisite interiors ;high end truck can attract more people's attention!
Packing	Professional packing with fixed in container
Container	roll-on-roll-off ship
HS Code	8705909990

/tem No.E-C40

Truck Size	12500×2550×3850 mm
Screen Size	8000×5120mm, Dot Pitch:P3/P4/P5/P6
Hydraulic Lifting	Lifting Range 5000mm, bearing 12T
Hydraulic Folding	Screen can fold 180 degrees
Hydraulic Rotating	Screen can rotate 360degrees
Stage plate	10000×3000×1100mm
Truck Weight	15000KG
Numbers of axles	2pcs or 3pcs
Generator power	45KW
Chassis brand	Foton Aumark
Wind Resistance	Against level 8 wind after screen lift up 5m
Kinds Of Play	computer display
Characteristic	Super advertising effect; exquisite interiors ;high end truck can attract more people's attention!
Packing	roll-on-roll-off ship
HS Code	8705909990



Item No.MBD-45S CONTAINER



Truck Size	8000×2450×2600mm
Screen Size	9000×5000mm, Dot Pitch:P3/P4/P5
Hydraulic Lifting System	Lifting range 5000mm, bearing 10T
Exterior decoration	Bee cochlea board
Interior decoration	Aluminum plastic board
Hydraulic support tegs	4 tegs
Total Mass	10000KG
Input Voltage	380V
Hydraulic Rotary support	Hydraulic motor +rotary mechanism
Kinds Of Play	computer display
Characteristic	Super advertising effect;exquisite interiors ;high end truck can attract more people's attention!
Packing Container	Professional packing with fixed in container
HS Code	40FR
	8705909990



"The crowd" starts the trailer 100 cities tour



"Cargo Lala" National Parade



Huawei"National Roadshow



Hubei fire propaganda vehicle



Dawang Diapers LED Truck National Tour



Jiangsu "Police camp Caravan"anti fraud publicity



Ford Roadshow



Wisdom police experience and propaganda vehicle



Nancang Cherry Blossom Festival



Sleemon nationwide led show container



LED service vehicle for the convenience of people



Shenzhen International LED Exhibition



The 7th CISM Military World Games



Celebrating the 70th anniversary of China!



Stage truck assists Tuhu in tour activities



Advertising Vehicle in Hainan "Circle Island Race"



The Voice of China 2019



ghd "Tmall International Wonderful Day" activity



E-P7100 service in Expo



E-W3360 in battery industry



Lee Open National Tour Show



"Crazy Alien" movie publicity roadshow



E-FC9600 in Fire control industry



E-W3360 in food industry



“Poetry and Painting Zhejiang”Tour



army camouflage Teaching vehicle



Wor



Solar LED traffic trailer exported to the Australia



Hunan Pickup Fire Propaganda Vehicle



CHINT LED Advertisingtruck



National presidential election in Equatorial Guinea



Ef28 Double sides LED screen trailer in the USA



Delixi-electric National promotion



VMS solar led trailer In Hong Kong



5 sets of ESD3070 are chartered to Africa by air



E-3SF18 deliever to Nigeria



360 degree rotation LED advertising truck In America



LED Advertising Trailer Shows in Adelaide



-F12 In Finland



E-W4700 In Australia



Solar LED traffic trailer exported to the UK



LED Advertising Trailer in New Zealand Plaza



E-F8 In Australia



Double sides LED screen trailer in the USA



Military parade for the 100th anniversary of the Iraqi army's founding



LED Advertising Trailer in Sydney Grand Theatre



28m²LED advertising vehicle in the United States



E-F4 In Australia



EW4700 street parade in Australia



E-R360 in Nigeria



EF16 in Australia



EF4 solar in Sydney



EF12 LED Trailer in Finnish Racecourse



EF4 in New Zealand Plaza



in Finland



E-W4700 in Australia



E-C40 in Malaysia



E-W3360 In Australia



E-K50II in U.A.E